


Fremdkörper-Ingestion: endoskopisches Prozedere

Bauchzentrum Freitagsfortbildung 20.01.2023

Klassifikation von Fremdkörper

Typ	Beispiel
Stumpf	Münze, Knöpfe, Batterien, Magneten
Scharf	Nadeln, Zahnstocher, Knochen, Glas-Porselanscherben, Rasierklinge
Lang	Löffel , Messer, Gabel, Zahnbürste, Werkzeuge, Kugelschreiber, Bleistifte
Essen	Mit oder ohne knochen
Varia	Bodypacking, Medikamente (z.B. Colosan)



Becq A, et al. Frontline Gastroenterology 2020;0:1–7.
doi:10.1136/flgastro-2020-101450

Kann man was anders zuerst probieren????

Kann man was anders zuerst probieren????

- Glucagon 1 mg iv appears to be a reasonable attempted therapy and may lead to resolution of food impaction in about one-third of patients
- *Schupack DA, Lenz CJ, Geno DM, et al. The evolution of treatment and complications of esophageal food impaction. United European Gastroenterol J 2019;7:548–56.*

Im Magen schieben oder entfernen???

Im Magen schieben oder entfernen???

- ESGE suggests treatment of food bolus impaction in the esophagus by gently pushing the bolus into the stomach. If this procedure is not successful retrieval should be considered (**weak recommendation, low quality evidence**).




Ösophagus ist wieder frei 😊

- Der Patient kann zurück auf den Notfall
- Empfehlung?????

Ösophagus ist wieder frei ☺

- Der Patient kann zurück auf den Notfall
- Empfehlung???
- Abklärung mittels Biopsien und Funktionsdiagnostik



Batterien



Kolosan



Scharfe



Eibennadeln



Object type	Location	Timing
Battery	Esophagus	Emergent
	Stomach/small bowel	Urgent
Magnet	Esophagus	Urgent
	Stomach/small bowel	Urgent
Sharp-pointed foreign body	Esophagus	Emergent
	Stomach/small bowel	Urgent
Blunt and small foreign body < 2 – 2.5 cm diameter	Esophagus	Urgent
	Stomach/small bowel	Nonurgent
Blunt and medium-sized foreign body > 2 – 2.5 cm diameter	Esophagus	Urgent
	Stomach/small bowel	Nonurgent
Large foreign body > 5 – 6 cm	Esophagus	Urgent
	Stomach/small bowel	Urgent
Food bolus	Esophagus	Emergent (urgent if without symptoms or without complete obstruction)

emergent 2-6 h

urgent 24 h

non urgent 72 h

Birk Michael et al. Removal of foreign bodies in the upper gastrointestinal tract in adults: (ESGE) Clinical Guideline...
Endoscopy 2016; 48: 1–8

Thank you